Notice of Allowability	09/759,205	ROVINELLI ET A	
	Examiner	Art Unit	1
•	Luke Gilligan	3626	
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RID of the Office or upon petition by the applicant. See 37 CFR 1.313 1. This communication is responsive to 12/08/04. The allowed claim(s) is/are 2-43,46-48 and 52-66.	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
3. The drawings filed on 16 January 2001 are accepted by th	e Examiner.		
 Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents 	e been received. e been received in Application No		ition from the
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	j. • ⇔		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give a complete of control of the control	MENT of this application. Initited. Note the attached EXAMINER's reason(s) why the oath or declarated by the submitted. Is son's Patent Drawing Review (PTO-1. Is Amendment / Comment or in the Comment or in the Comment of the drawing he header according to 37 CFR 1.121(comment of BIOLOGICAL MATERIAL notes that the sit of BIOLOGICAL MATERIAL notes reasonable to the sit of BIOLOGICAL material sit of BIOLOGICAL materi	'S AMENDMENT or Nation is deficient. 948) attached Office action of the front (not the d). nust be submitted.	OTICE OF
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statemen	(PTO-413), te nent/Comment ent of Reasons for Allo	owance
U.S. Patent and Trademark Office	SUPERV TECH	ISORY PATENT EXAMINATION OF THE SECOND CENTER 36	600

Application No.

Applicant(s)

Application/Control Number: 09/759,205 Page 2

Art Unit: 3626

Response to Amendment

1. In the amendment filed 12/8/04, the following changes have occurred: claims 39, 40, 41, 46, 47, and 52 have been amended. Now, claims 2-43, 46-48, and 52-66 are presented for examination.

Allowable Subject Matter

- 2. Claims 2-43, 46-48, and 52-66 are allowed. The following is a statement of reasons for the indication of allowable subject matter: The primary reasons for the allowance of claims 37 and 47-48 is the inclusion of the limitation, in all the claims which is not found in the prior art references, of dynamically generating a patient history, within a patient simulation system, in response to the profile of a user who is being evaluated on the basis of at least one intervention input by the user embodied in a system and method. While the closest prior art (Harless, U.S. Patent No. 5,006,978) teaches patient simulation and evaluation of the user interactions, it fails to teach dynamically generating a patient history on the basis of the user's profile embodied in a method and system.
- 3. The primary reasons for the allowance of claim 52 is the inclusion of the limitation, in the claim which is not found in the prior art references, of dynamically generating a history, based on a dynamically generated problem environment, in response to the profile of a user who is being evaluated on the basis of medical advice given by the user. While the closest prior art (Harless, U.S. Patent No. 5,006,978) teaches patient simulation and evaluation of the user interactions, it fails to teach a method of dynamically generating a patient history on the basis of the user's profile.
- 4. Additionally, the primary reasons for the allowance of claims 2-36, 38-43, 46, and 53-66 is the inclusion of the limitation which is not found in the prior art references of dynamically

Application/Control Number: 09/759,205 Page 3

Art Unit: 3626

generating a patient history, within a patient simulation system, in response to a test area, which is responsive to the profile of a user who is being evaluated on the basis of at least one intervention input by the user. While the closest prior art (Harless, U.S. Patent No. 5,006,978) teaches patient simulation and evaluation of the user interactions, it fails to teach a method that dynamically generates a patient history on the basis of a test area which is based on the user's profile.

- 5. In addition, it should be noted that the Examiner is interpreting the term "dynamically generating" as recited in the claims to require the use of a computer as supported by the specification (see pages 127-130). Therefore, the claims advance the technological arts and are directed to statutory subject matter. If Applicants' disagree with the Examiners' interpretation, comments should be submitted in the "Comments on Statement of Reasons for Allowance."
- 6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

- 7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
 - Kerr teaches a system that generates user interfaces that are specifically tailored to the current user.

Application/Control Number: 09/759,205

Art Unit: 3626

8. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Luke Gilligan whose telephone number is (703) 308-6104. The examiner

can normally be reached on Monday-Friday 8am-5:30pm.

9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Joseph Thomas can be reached on (703) 305-9588. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

10. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private

PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

12/09/04

JOSEPH THOMAS

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 3600



Page 4